

## Product Brochure For B008

# Swivel Head Metal Cutting Band Saw - BS-8DS

Dual Mitre Cuts Up To 45°

215 x 205mm (W x H) Rectangle Capacity at 90 degrees

**On Sale**

Ex GST

Inc GST

~~\$2,184.00~~

~~\$2,511.60~~

**\$1,878.26**

**\$2,160.00**



ORDER CODE:	B008
MODEL:	BS-8DS
Operation Type:	Swivel Head
Round @ 90° (mm):	205
Round @ 45° (mm):	143
Round @ 60° (mm):	~
Square @ 90° (mm):	205
Square @ 45° (mm):	~
Square @ 60° (mm):	~
Rectangle (W x H) @ 90° (mm):	215 x 205
Rectangle (W x H) @ 45° (mm):	143 x 115
Rectangle (W x H) @ 60° (mm):	~
Coolant System:	Yes
Table Working Height (mm):	~
Cutting Head Beam Type:	Manual
Cutting Head Beam Return:	Manual Return
Cutting Head Down Feed Control:	Adjustable Hydraulic
Vice Clamping Fixture:	Manual - Quick Action
Bundle Cutting Fixture:	~
Blade Steps / Speeds (M/Min):	24-41-61-82
Blade Size (L x W x T) (mm):	2360 x 19 x 0.9
Motor Power (kW / hp):	1.1 / 1.5
Voltage / Amperage (V / amp):	240
Nett Weight (kg):	190



## Description

The BS-8DS medium-duty dual swivel head metal cutting band saw offers great value for money. The major points of this machine are the swivel head, four-blade speeds, adjustable feed rate, and built-in coolant system.

This is an excellent machine choice for maintenance shops, medium steel fabricators, and engineering workshops.

## Features

- 205mm round, 215mm x 200mm (W x H) rectangular capacity at 90 degrees
- 143mm round, 143mm x 115mm (W x H) rectangular capacity at 45 degrees
- ±45° swivel head for easy angle cutting without moving material
- Adjustable hydraulic feed cutting rate for multiple applications
- Built-in coolant system with flow control valve for maximum cutting efficiency
- Limit switch stops machine when cut is complete
- Blade roller guides provides accurate cutting
- 4-speed pulley drive system enabling 24-41-61-82mpm cutting speeds
- Adjustable length stop for repetition cutting
- Wire wheel brush to clean swarf from blade
- Heavy-duty 750W/240V fully enclosed fan-cooled motor

Product Brochure For B008

**Specific Features**




Head Fully Raised



Blade Guide



Coolant to Blade



Quick Action Vice Handle Lever



Hydraulic Ram Down Feed Control



Swivel Head



Coolant System



Switch

**Recommended Accessories**

**B210**

Metal Band Saw Blade - 6TPI  
Carbon, Blade - 2362 x 19 x  
0.80mm



**B212**

Metal Band Saw Blade - 8TPI  
Carbon, Blade - 2362 x 19 x  
0.80mm



**B214**

Metal Band Saw Blade - 10TPI  
Carbon, Blade - 2362 x 19 x  
0.80mm



**B216**

Metal Band Saw Blade - 14TPI  
Carbon, Blade - 2362 x 19 x  
0.80mm



Product Brochure For B008

**B400**

Metal Band Saw Blade - 4-6TPI  
Bi-Metal, Blade - 2362 x 19 x  
0.80mm



**B404**

Metal Band Saw Blade -  
6-10TPI Bi-Metal, Blade - 2362 x  
19 x 0.80mm




**B408**

Metal Band Saw Blade -  
10-14TPI Bi-Metal, Blade - 2362  
x 19 x 0.80mm



**S091**

Soluble Metal Cutting Fluid - 20  
Litre



**S090A**

Soluble Metal Cutting Fluid - 1  
Litre



**S090**

Soluble Metal Cutting Fluid - 5  
Litre



**S076**

Cutting Tool Lubricant Fluid -  
500ml



**S077**

Drilling, Tapping & Cutting Tool  
Lubricant Spray - 400g



**S074**

Cutting Tool Lubricant Paste -  
500g



**L812**

Roller Conveyor



**L816**

Roller Conveyor Stand



**W343A**

Roller Stand



Product Brochure For B008

W343  
Roller Stand



W3434  
Roller Stand




W3436  
Roller Stand - V-Type



M800  
Rubber Mat - Anti-Fatigue



M805  
Rubber Mat - Anti-Fatigue



O043  
Rust & Corrosion Preventive



O042  
General Purpose Lubricant & Corrosion Inhibitor



O044  
Rust & Corrosion Preventive

