

Product Brochure For B064V

Swivel Head-Dual Mitre Metal Cutting Band Saw - EB-285DSV

Electronic Variable Blade Speed 20-90mpm, Dual Mitre Cuts Up To 265 x 200mm, Quick Action Mitre Fix Clamp & Positive Hydraulic Downfeed Control

On Sale

Ex GST	Inc GST
\$5,600.00	\$6,440.00
\$4,608.70	\$5,300.00



ORDER CODE:	B064V
MODEL:	EB-285DSV
Operation Type:	Swivel Head - Dual Mitre
Round @ 90° (mm):	235
Round @ 45° (mm):	190
Round @ 60° (mm):	120
Square @ 90° (mm):	225
Square @ 45° (mm):	185
Square @ 60° (mm):	120
Rectangle (W x H) @ 90° (mm):	265 x 200
Rectangle (W x H) @ 45° (mm):	180 x 200
Rectangle (W x H) @ 60° (mm):	115 x 120
Coolant System:	Yes
Table Working Height (mm):	990
Cutting Head Beam Type:	Manual
Cutting Head Beam Return:	Manual Return
Cutting Head Down Feed Control:	Adjustable Hydraulic
Vice Clamping Fixture:	Manual - Quick Action
Bundle Cutting Fixture:	~
Blade Steps / Speeds (M/Min):	Variable 20-90
Blade Size (L x W x T) (mm):	2645 x 27 x 0.9
Motor Power (kW / hp):	1.5 / 2
Voltage / Amperage (V / amp):	240 / 10
Nett Weight (kg):	260



Description

Manufactured in Taiwan

Features

- 265 x 200mm rectangular capacity
- Electronic variable blade speed, 240V motor
- Larger cutting capacity than conventional cold saws
- Swivel head double mitre cut to 45° right & left, 60° right
- Quick action lock/release lever for swivel head
- Heavy-duty gear drive system
- Control panel mounted on stand for easy access
- Heavy duty hydraulic down feed cylinder
- Ball bearing blade guides ensures minimal blade clearance wear and increases blade life due to less friction
- Blade cleaning brush incorporated into blade guide system
- Quick-action lock/release vice
- Adjustable length stop for repetition cutting
- Unique sliding vice design for dual mitre operation
- Coolant system for cutting efficiency and blade life
- Material support roller for long stock
- User friendly blade tension system with gauge
- Vibration free, low noise operation ensures clean & high precision cuts
- Machine stand with integrated coolant tank as standard

Product Brochure For B064V

Specific Features



Front View



Swivel Head at 60 Degrees




Swivel Head at 45 Degrees




Control Panel With Adjustable Hydraulic Down Feed Control



Heavy Duty Hydraulic Down Feed Cylinder Variable Speed Motor Gearbox



Blade Tension Gauge




Ball Bearing Blade Guides




Blade Cleaning Brush



Sliding Vice For Dual Mitre



Dual Mitre Slots




Degree Scale



Material Support With Roller



Material Length Stop



Safety Blade Guard Micro Switch



Coolant System



Sliding Vice Lock

Product Brochure For B064V

Recommended Accessories

B481

Metal Band Saw Blade - 4-6TPI M42 Bi-Metal, Blade - 2645 x 27 x 0.9mm



B482

Metal Band Saw Blade - 6-10TPI M42 Bi-Metal, Blade - 2645 x 27 x 0.9mm



B483

Metal Band Saw Blade - 10-14TPI M42 Bi-Metal, Blade - 2645 x 27 x 0.9mm



S090A

Soluble Metal Cutting Fluid - 1 Litre



S090

Soluble Metal Cutting Fluid - 5 Litre



S091

Soluble Metal Cutting Fluid - 20 Litre



S076

Cutting Tool Lubricant Fluid - 500ml



S077

Drilling, Tapping & Cutting Tool Lubricant Spray - 400g



Product Brochure For B064V

S074
Cutting Tool Lubricant Paste -
500g



M9991
Magnetic Floor Sweeper



L300
Magnetic Swarf Remover



L812
Roller Conveyor




L814
Roller Conveyor Stand



M800
Rubber Mat - Anti-Fatigue



M805
Rubber Mat - Anti-Fatigue



O043
Rust & Corrosion Preventive



O042
General Purpose Lubricant &
Corrosion Inhibitor



O044
Rust & Corrosion Preventive

