

## Product Brochure For B067

# Swivel Head-Dual Mitre Metal Cutting Band Saw - EB-320DS

Dual Mitre Cuts Up To 60°, Quick Action Material Clamp & Includes Hydraulic Down Feed Control

Hydraulic Down Feed Control

**On Sale - Back In Stock Soon**

Ex GST

Inc GST

~~\$7,308.00~~

~~\$8,404.20~~

**\$5,800.00**

**\$6,670.00**



ORDER CODE:	B067
MODEL:	EB-320DS
Operation Type:	Swivel Head - Dual Mitre
Round @ 90° (mm):	255
Round @ 45° (mm):	220
Round @ 60° (mm):	125
Square @ 90° (mm):	205
Square @ 45° (mm):	200
Square @ 60° (mm):	125
Rectangle (W x H) @ 90° (mm):	310 x 205
Rectangle (W x H) @ 45° (mm):	205 x 200
Rectangle (W x H) @ 60° (mm):	125 x 125
Coolant System:	Yes
Table Working Height (mm):	950
Cutting Head Beam Type:	Manual
Cutting Head Beam Return:	Manual Return
Cutting Head Down Feed Control:	Adjustable Hydraulic
Vice Clamping Fixture:	Manual - Quick Action
Bundle Cutting Fixture:	~
Blade Steps / Speeds (M/Min):	35-70
Blade Size (L x W x T) (mm):	2750 x 27 x 0.9
Motor Power (kW / hp):	1.5 / 2
Voltage / Amperage (V / amp):	415
Nett Weight (kg):	371



## Description

Manufactured in Taiwan

## Features

- 310 x 205mm rectangular capacity
- Larger cutting capacity than conventional cold saws
- Heavy-duty gear drive system
- Ball bearing & carbide blade guides ensures minimal blade clearance wear and increases blade life due to less friction
- Blade cleaning brush incorporated into blade guide system
- Swivel head dual mitre cut to 45° right & left, 60° right
- Quick action lock/release lever for swivel head
- Coolant system for cutting efficiency and blade life
- Material support roller for long stock
- Adjustable length stop for repetition cutting
- User friendly blade tension system with gauge
- Adjustable hydraulic cylinder for auto feed
- 2-speed motor enabling blade speeds of 35 & 70mpm
- Vibration free, low noise operation ensures clean & high precision cuts
- Machine stand with integrated cooling fitted as standard
- Quick-action lock/release vice
- Unique sliding vice design for dual mitre operation

Product Brochure For B067

**Specific Features**




Adjustable Automatic Feed



Blade Tension Gauge



Control Panel




Dual Mitre Swivel Head



Motor and Gearbox Drive



Quick Action Clamp Lever



Wire Wheel and Roller Bearing Blade Guides



Coolant System

**Recommended Accessories**

**B530**

Metal Band Saw Blade - 4-6TPI  
Bi-Metal, Blade - 2750 x 27 x  
0.9mm



**B531**

Metal Band Saw Blade -  
6-10TPI Bi-Metal, Blade - 2750 x  
27 x 0.9mm



**B532**

Metal Band Saw Blade -  
10-14TPI Bi-Metal, Blade - 2750  
x 27 x 0.9mm



**S091**

Soluble Metal Cutting Fluid - 20  
Litre



Product Brochure For B067

S090A  
Soluble Metal Cutting Fluid - 1 Litre



S090  
Soluble Metal Cutting Fluid - 5 Litre



S076  
Cutting Tool Lubricant Fluid - 500ml



S077  
Drilling, Tapping & Cutting Tool Lubricant Spray - 400g



S074  
Cutting Tool Lubricant Paste - 500g



L300  
Magnetic Swarf Remover



M9991  
Magnetic Floor Sweeper



L812  
Roller Conveyor



L814  
Roller Conveyor Stand



O043  
Rust & Corrosion Preventive



O042  
General Purpose Lubricant & Corrosion Inhibitor



O044  
Rust & Corrosion Preventive

