

Product Brochure For D099

Spot Weld Drill Bit - Ø10mm - SW10

Hexagonal Shank, 7mm AF
Double Ended Cutter

On Sale

Ex GST	Inc GST
\$28.00	\$32.20
\$21.74	\$25.00



Order Code:	D099
Cutter Diameter (mm):	Ø10
Length (mm):	75
Shank Size (mm):	7 AF (Across Flats)



Description

If you are in need to separate & remove spot welded automotive panels or any spot weld application, then this little inexpensive tool would certainly make this job so much easier without damaging the underlying panel.

The SW10 spot weld drill bit cutter is very easy to use with just a few simple steps, firstly centre punch all your spot welds you need to drill, centre drill all welds on the top plate only that's being removed, then attach your spot weld drill bit cutter to preferably a variable speed hand held drill for better control. Then the easy & fun part begins, align the centre point of your tool on the pre-drilled centre hole, push down and start to carefully drill until you cut through the first layer only on all the welds, then just manipulate the panel away when all welds have been drilled. It is really simple as that!

Features

- Quality alloy steel double ended cutter - Ø10mm
- Quickly remove spot welds in one easy cut
- Retractable centre point for quick & easy alignment
- Use with 1/4" variable speed hand drill or larger
- Hexagonal drive shank, 7mm across the flats
- Perfect solution for professionals or DIY

Product Brochure For D099

Specific Features



Side View



7mm AF Hexagonal Shank



Threaded Drive Shaft & Cutter



Spring Loaded Point



Ø10mm Double Ended Cutter



Centre Punch



Centre Drill Top Plate Only



Align Centre Point



Push Down Ready For Drilling



Start Drilling



Spot Weld Removed & Top Plate Separated

Product Brochure For D099

Recommended Accessories

P367
Centre Punch Set - 3 Piece



P368
Automatic Centre Punch



H870
Soft Face Hammer



H875
Soft Face Hammer - 5 piece

