

Product Brochure For D160

Industrial Pedestal Drill - Belt Drive - PD-28

Table Rotates 360°

Ø23mm Drill Capacity with 2MT Spindle Taper

On Sale

Ex GST	Inc GST
\$1,696.00	\$1,950.40
\$1,380.00	\$1,587.00



ORDER CODE:	D160
MODEL:	PD-28
Type - Bench / Pedestal:	Pedestal
Duty Type:	Industrial-Duty
Drilling Diameter Capacity (mm):	Ø23
Spindle Taper (MT):	2
Spindle Travel (mm):	83
Throat Depth (mm):	185
Quill Diameter (mm):	47
Collar Diameter (mm):	65
Column Diameter (mm):	80
Spindle To Table (mm):	645
Spindle To Base (mm):	1180
Table Shape:	Square
Table Size (mm):	285 x 285
Work Light:	~
Micro Switch On Pulley Guard:	Yes
Drive Belt Type:	A Section
Spindle Speed Steps (No.):	12
Spindle Speed Range (rpm):	300 - 2360
Motor Power (kW / hp):	0.75 / 1
Voltage / Amperage (V / amp):	240 / 10
Overall Height (mm):	1710
Nett Weight (kg):	98



Description

If you are in the market for a superior quality industrial belt drive drilling machine with a capacity of Ø23mm, and need it to take some serious work load duration then this machine would definitely perform to the task. This PD-28 pedestal drill manufactured in Taiwan to precision engineering tolerance & excellence will certainly transform your drilling holes experience to the next level of expertise.

What makes this machine different from the others is that the casting have been made heavier & thicker walled, which in this case relates to a total weight of 102kg on this model, that is approximately 70% heavier to its rival in this range.

Therefore, this range of drilling machines offers all the basic feature necessities to outperform & outlast the competitor machines all day everyday.

Features

- Ideal for industrial workshop use
- Quiet A section V-belt drive system
- Quick action belt tensioning lever
- Adjustable safety drilling chuck guard with micro switch
- Safety micro switch on pulley guard
- Safety magnetic-type switch
- Emergency stop switch
- Rack & pinion table height adjustment with locking lever
- Thick walled column ensuring greater rigidity
- Table rotates 360°
- Drilling depth stop setting with scale
- T slotted work table
- 12 spindle speeds - 300, 390, 450, 550, 620, 720, 1130, 1200, 1340, 1730, 1860, 2360rpm
- 240V Fan-cooled motor rated for continuous use with overload protection
- Made in Taiwan

Includes

- Drill chuck & arbor
- Chuck key to suit

Product Brochure For D160

- Drill drift

Specific Features



Quill Handle



Drilling Depth Stop Setting With Scale



Adjustable Safety Chuck Guard



16mm Drill Chuck



Safety Emergency Stop Switch



Cast Iron Tilting-Rotating Table



Belt Tension Adjustment



A Section Belt Drive System




Speed Chart



Safety Micro Switch On Belt Cover



Cast Iron Base With T Slot



On Off Switch



Parts Included



Left Side View



Front View

Product Brochure For D160

Recommended Accessories

W3425
Drill Press Roller Support



C103
228mm Multi-Purpose Locking Clamp



P220
Gravity Feed Coolant System



S090A
Soluble Metal Cutting Fluid - 1 Litre



S090
Soluble Metal Cutting Fluid - 5 Litre



C085A
Clamp Kit Tee Nuts



L300
Magnetic Swarf Remover



M9991
Magnetic Floor Sweeper



Product Brochure For D160

D119
Metric 2MT HSS Drill Set



D122
Metric Precision 2MT Morse Taper Drill Set - 10 Piece



D1171
Metric Industrial HSS Reduced Shank Drill Set



D1181
Imperial Industrial HSS Reduced Shank Drill Set



D117
Metric HSS Reduced Shank Drill Set



C292
Industrial Drill Chuck - Keyless Type



C294
Industrial Drill Chuck - Keyless Type



D442
2MT x JT6 Drill Chuck Arbor




D442A
2MT x JT3 Drill Chuck Arbor




V124
Drill Press Vice



V125
Drill Press Vice



V126
Drill Press Vice



Product Brochure For D160

V144
Drill Press Vice



V145
Drill Press Vice



V141
Safeway Precision Drill Press
Vice



V142
Safeway Precision Drill Press
Vice



V143
Safeway Precision Drill Press
Vice



V114
Tilting Drill Press Vice



V1204
Compound Drill Vice




V1205
Compound Drill Vice



M800
Rubber Mat - Anti-Fatigue



M805
Rubber Mat - Anti-Fatigue



O043
Rust & Corrosion Preventive



O042
General Purpose Lubricant &
Corrosion Inhibitor



Product Brochure For D160

O044

Rust & Corrosion Preventive

