

Product Brochure For D338

3MT Morse Taper Shank Drill Bit

Ø31.5mm


M35 Grade HSS including 5% Cobalt



On Sale

| Ex GST | Inc GST |
|-----------------|-----------------|
| \$148.00 | \$170.20 |
| \$115.65 | \$133.00 |

| | |
|------------------------------|---------|
| ORDER CODE: | D338 |
| Taper (MT): | 3 |
| D - Drill Diameter (Ø) (mm): | 31.5 |
| OAL - Overall Length (mm): | 301 |
| FL - Flute Length (mm): | 180 |
| Standard (DIN): | DIN 345 |
| Nett Weight (kg): | 1.44 |



Description

Alcock drill bits are manufactured from M35 grade HSS including 5% cobalt, this high-grade material offers superior drilling performance and durability. Each drill bit features precision-ground flutes and a 135° cutting point angle, which is ideal for drilling in tougher materials while enhancing longevity and performance. The morse taper shank ensures positive driving for heavy duty drilling & is supplied with a tang for easy ejection making it an ideal choice for any workshop.

Features

- M35 Grade HSS including 5% Cobalt
- Precision ground flutes
- 135° cutting point for drilling steels and tough materials
- Morse taper shank with tang
- Manufactured to DIN 345 Standard
- Bronze oxide finish to reduce friction
- Supplied in a protective tube

Morse Taper Shank DRILL BITS



- M35 Grade HSS including 5% Cobalt
- 135° cutting point for steels and tough materials
- Morse taper shank with tang • Precision ground flutes

HSS
M35 GRADE

5%
COBALT

DIN
345


Ø12.5 ~ 52mm

135°

MORSE TAPER
SHANK

HIGH HEAT
RESISTANCE

**Drill Sizes
Available**



Product Brochure For D338

Specific Features



135 Degree Split Point M35 HSS 5% Cobalt



Alcock