

Product Brochure For L851

Pipe & Tube Notcher - Linisher - PN-76HD

Dual Direction c/w 3 Working Stations

Includes 7 sets of Rollers

On Sale

Ex GST	Inc GST
\$2,794.00	\$3,213.10
\$2,300.00	\$2,645.00



ORDER CODE:	L851
MODEL:	PN-76HD
Machine (Type):	Pipe & Tube & Notcher / Linisher
Notching Cutter (Type):	Linisher
Tube Capacity (OD) - Mild Steel (mm):	Ø20 - Ø76
Pipe Capacity (NB) - Mild Steel (inch / mm):	Ø1/2" - Ø2-1/2"
Angle Adjustment (Degree):	~
End Mill Size (inch / mm):	~
Belt Size (mm):	100 x 2000
Belt Speed:	1400rpm / 2800rpm
Cutting Speed (rpm):	~
Motor Power (kW / hp):	3 / 4
Voltage (V):	415
Dimensions ((mm)):	~
Nett Weight (kg):	160



Description

The PN-76HD Pipe & Tube Notcher / Linisher is designed primarily for notching of tube & pipe with the added versatility that's ideal for deburring & finishing all types of steels. At the notching station, the swivel vice allows to notch your steel at any angle between 90 to 30 degrees & with the quick-change tension system you can quickly change the diameter of the front roller to suit the diameter of the notch you require. The heavy-duty base has storage for the 7 sets of notching rollers to keep them within easy reach saving you time when changing between sizes & with a powerful 3Kw 415v motor it will remove material quickly & easily.

Features

- Ø20-76mm OD tube notching capacity
- 1/2" - 2-1/2" NB pipe notching capacity
- Powerful 3kW / 4hp, 415V motor with overload protection
- 2 x speed motor 1400rpm for stainless steel, 2800rpm for steel
- Triple working stations for Notching, de-burring & edge sanding
- Quick action compound swivel vice from 30-90°
- Large diameter bearings on notching rollers for HD applications
- Heavy duty leadscrew vice for increasing clamp pressure
- Quick change belt system for fast and easy change of grinding rolls – no tools required
- Pre-set spring device allows for continuous belt tension
- Solid pedestal stand with built in storage rack for notching rollers

Includes

- 7 notching rollers suitable for the following material sizes
- Ø1/2" NB pipe or Ø20mm tube
- Ø3/4" NB pipe or Ø26mm tube
- Ø1" NB pipe or Ø32mm tube
- Ø1-1/4" NB pipe or Ø42mm tube
- Ø1-1/2" NB pipe or Ø48mm tube
- Ø2" NB pipe or Ø60mm tube
- Ø2-1/2" NB pipe or Ø76mm tube
- 1 x finishing belt

Optional Accessories

- Replacement Belt (A8085)

Product Brochure For L851

Specific Features



Left View



Belt Replacement Access




Vice Advancement



Top Station for Flat Lishing and Deburring



30 90 Degree Swivel Vice Jaws



Belt Tension



Covered Storage Rack For Rollers



Removable Dust Tray




Top Control Panel



Control Panel Speed Direction



End Station Shown Lishing Flat Bar



Vice Angle Adjustment

Product Brochure For L851

Recommended Accessories

A8085

36G Zirconia Linishing Belt Pack

