

Product Brochure For S290

Workshop Sandblasting Cabinet - SB-220

Inside Cabinet 870 x 500 x 350-500mm (L x W x H)

Includes Internal LED Light



On Sale - New Release

Ex GST

\$428.00

\$369.57

Inc GST

\$492.20

\$425.00

ORDER CODE:	S290
MODEL:	SB-220
Approx. Inside Cabinet Size (L x W x H) (mm):	870 x 500 x 350-500
Internal Light (Type):	LED Light
Recommended Free Air Delivery (FAD) @ 100psi (CFM/L/min):	15 CFM (425 L/min)
Floor Space with Door/Lid Open (L x W x H) (mm):	900 x 650 x 1820
Nett Weight (kg):	46.5



Description

The SB-220 is a great-value, medium-sized workshop sandblasting cabinet designed for practical and reliable everyday use. The top-opening, gas-strut-assisted lid provides smooth, controlled opening and easy access to your workpieces, improving both safety and convenience. A large tempered-glass viewing window combined with an internal LED light ensures clear visibility during operation. An inlet port is fitted as standard, allowing the cabinet to be easily adapted to your existing vacuum or dust extraction system to remove fine dust and airborne particles and maintain a clear working environment. For best results, it can also be paired with the SB-C870 Industrial Sandblasting Dust Cyclone Extractor.

The SB-290 further enhances value with a gravity-feed metering valve that delivers the sandblasting media at the correct ratio, ensuring efficient performance, reduced media waste, and consistent, high-quality blasting results—making it a cost-effective solution for any workshop.

Features

- Top opening lid for easy access
- Fitted with a gravity feed metering valve for optimal performance
- Powder coated steel construction
- Inlet ready to adapt a filter system at rear of sandblast cabinet
- Internal LED lighting system
- Door safety latches
- Complete tempered glass screen with replacement shields, gloves, gun & ceramic tips
- Requires compressor delivering minimum 15 CFM (425 L/min) @ 100 psi (FAD)
- Recommended to be used with an optional dust collector system
- Recommended to use 2 x 25kg abrasive grit
- Please Note:
- It is advisable to use an appropriate silastic sealant upon assembling cabinet
- Regular maintenance to clean dust collector filter bag is required

Includes

- Ø4mm, Ø5mm, Ø6mm, Ø7mm Ceramic Tips

Optional Accessories

- SB-C870 - Industrial Sandblasting Dust Cyclone Extractor - 2 Stage Filtration System. Order Code: (S310)

Product Brochure For S290

Specific Features



Lid Open



Side View Lid Open



Right Side View



Rear Left View



Rear Right View



Left Side View



Left View



Switches for Light and Dust Collector



Lid Open Latch



Compressed Air Inlet Connection



Abrasive Measuring Valve




Hopper Emptying Hatch



Gas Strut Door



Gloves



Action Shot with Gloves Gun



Gun

Product Brochure For S290



Hopper with Removable Grates



Internal Light



Dust Collector 63mm Outlet



Air Intake Breather



Included Accessories

Recommended Accessories

S310
Industrial Sandblasting Dust
Cyclone Extractor



SC004
PVC SHEET PKT 5



6SC0059
NOZZLES 4.0 MM PKT 2



6SC0060
NOZZLES 5.0MM PKT 2



Product Brochure For S290

6SC0061
NOZZLES 6.0MM PKT 2



6SC0062
NOZZLES 7.0MM PKT 2



6SC0042
SANDBLASTING GUN



2SC0035
GLOVES PAIR



S296
Sandblasting Beads - Garnet



S295
Sandblasting Beads - Garnet



S297
Sandblasting Beads - Inda



M800
Rubber Mat - Anti-Fatigue



M805
Rubber Mat - Anti-Fatigue

