

Product Brochure For W1116

## ARC/Lift TIG Inverter Welder - EziArc140i

140Amps Welding Current

**On Sale**

<b>Ex GST</b>	<b>Inc GST</b>
<b>\$254.00</b>	<b>\$292.10</b>
<b>\$221.74</b>	<b>\$255.00</b>



ORDER CODE:	W1116
MODEL:	EziArc140i
Voltage (V / A):	230 / 10
Rod Diameter Range (mm):	1.6 - 3.2
Welding Thickness - Maximum (mm):	~
MMA Output Current Range (amp):	10 - 140
MMA Duty Cycle (A @ %):	~
Tig Output Current Range (amp):	10 - 130
Tig Duty Cycle (A @ %):	~
Maximum Input Current (amp):	25
MMA O/C Voltage (V):	77
Generator Capacity (KVA):	7
Power Efficiency (%):	80
Power Factor:	0.65
Insulation Class:	IP23
Dimensions (L x W x H) (mm):	240 x 90 x 135
Nett Weight (kg):	2.1



### Description

The EziArc140i is a compact and powerful ARC and DC lift-TIG Inverter Welder. Very little and weighing just 3.2kg and equipped with a 10A 230V plug, it offers incredible portability and versatility. See photos for true-to-size comparison of EziArc140i and Strata's DW7000XL Helmet.

### Features

- 140A Output
- Super Lightweight and compact design – Ideal for portable applications
- Weld up to 3.2mm electrodes
- Lift TIG Welding Operation – Smooth and stable welding output for precision and aesthetically important welding jobs
- VRD Protection Mode (Voltage Reduction) – for increased operator safety
- Intelligent Protection System – Temperature, voltage and current sensors for increased reliability and safety
- Generator Friendly – Designed to work with generator power supply and protect from power surges (7kVA) Fitted with a 10A plug

### Includes

- Includes 3m earth lead set, 3m ARC lead set and carry strap

Product Brochure For W1116

---

**Recommended Accessories**

W10361  
Magnetic TIG Torch Rest



W241  
Universal Welder Trolley



O352  
Gas Refillable Cylinder



O354  
Gas Refillable Cylinder



O360  
Gas Refillable Cylinder



O362  
Gas Refillable Cylinder



O366  
Gas Refillable Cylinder



O368  
Gas Refillable Cylinder



Product Brochure For W1116

**W1140D**

Argon Gas Regulator-Twin Gauge



**W1142U**

1.6mm Tig Tungsten Electrode - Thoriated Red



**W1142X**

1.6mm Tig Tungsten Electrode - Zirconiated White



**W1142V**

2.4m Tig Tungsten Electrode - Thoriated Red



**W1142Y**

2.4mm Tig Tungsten Electrode - Zirconiated White



**W1142W**

3.2mm Tig Tungsten Electrode - Thoriated Red



**W1142Z**

3.2mm Tig Tungsten Electrode - Zirconiated White



**W001**

Auto Darken Welding Helmet - 9-13 Shade



**W002**

Auto Darken Welding Helmet - 9-13 Shade



**W1090**

Auto Darken Welding Helmet - 9 ~ 13 Shade



**W1091**

Magnetic Swivel V-Pad Clamps



**W1092**


Auto Darken Welding Helmet with PAPR Respiratory System - (2.5) 8 ~ 12 Shade



Product Brochure For W1116

L3456

How to Weld Book



W1142

Ø1.6mm TIG Filler Rod - Mild Steel



W1142A

Ø2.4mm TIG Filler Rod - Mild Steel



W1142B

Ø3.2mm TIG Filler Rod - Mild Steel



W1142C

Ø1.6mm TIG Filler Rod - Aluminium



W1142D

Ø2.4mm TIG Filler Rod - Aluminium



W1142E

Ø3.2mm TIG Filler Rod - Aluminium



W1142F

Ø1.6mm TIG Filler Rod - Stainless Steel



W1142G

Ø2.4mm TIG Filler Rod - Stainless Steel



W1142H

Ø3.2mm TIG Filler Rod - Stainless Steel

