

Product Brochure For W311

Ripping Gauge - RG-190

0 -135mm Depth Adjustment

On Sale

Ex GST
~~\$68.00~~
\$57.39

Inc GST
~~\$78.20~~
\$66.00



ORDER CODE:	W311
MODEL:	RG-190
Depth Adjustment (mm):	0 - 135
Suits Table Slots (Width x Depth) (Inch):	3/4" x 3/8"
Aluminium Extrusion Guide (mm):	190 x 75
Roller Guide (Type):	Ball Bearing



Description

The RG-190 ripping gauge makes repetitive ripping of thin strips safer and easier than any other method. Made from heavy duty aluminium extrusions, the gauge locks securely in any 3/4" x 3/8" mitre gauge slot. The built-in scale helps you make fine accurate adjustments. The ball bearing holds the stock firmly against the fence, allows smooth feeding and makes repositioning a simple operation. Also, a very handy gauge for bandsaws & table saws.

Features

- 0 - 135mm clamp depth adjustment
- Locks into any 3/4" wide x 3/8" deep table slots
- Makes repetitive ripping of thin strips easy and safe
- Ball bearing roller support to smoothly guide the timber past the blade
- Cuts to the left of the blade, preventing burning, binding and kickback
- Made from heavy duty aluminium extrusions with a built-in scale
- 190 x 75mm aluminium extrusion body with adjustable sliding extrusion clamp

Product Brochure For W311

Specific Features



Ball Bearing For Smooth Feed



Shown In Use on Table Saw




Shown In Use on Bandsaw



Top View



Set At Minimum Adjustment



Set At Maximum Adjustment



Underneath

Recommended Accessories

W4330

Wood Band Saw

W4340

Wood Band Saw

W425

Wood Band Saw

W429

Wood Band Saw



Product Brochure For W311

W452
Table Saw



W486
Table Saw



W454
Table Saw



W455
Table Saw



W700
Panel Saw

