

## Product Brochure For W613

# Planer & Thicknesser Combination - HSS Blades - PT-300

304mm Wide Planer Capacity

304 x 220mm (W x H) Thicknesser Capacity



|                                      |                   |
|--------------------------------------|-------------------|
| ORDER CODE:                          | W613              |
| MODEL:                               | PT-300            |
| Planer Capacity (mm):                | 304               |
| Cutter Head Type (HSS / Carb):       | HSS Blades        |
| Table Length - Planer (mm):          | 1510              |
| Table Height - Planer (mm):          | 910               |
| Length of Infeed Planer Table (mm):  | 740               |
| Length of Outfeed Planer Table (mm): | 733               |
| Fence Length x Height (mm):          | 1050 x 160        |
| Thicknesser Capacity (mm):           | 304 x 220         |
| Table Length - Thicknesser (mm):     | 588               |
| Feed Speed (m/min):                  | 5                 |
| Cutter Block Diameter (mm):          | 78                |
| Cutter Block Speed (rpm):            | 5500              |
| Motor Power (kW / hp):               | 2.25 / 3          |
| Voltage / Amperage (V / amp):        | 240 / 15          |
| Floor Space (W x D x H) (mm):        | 1700 x 850 x 1080 |
| Nett Weight (kg):                    | 316               |



## Description

You don't have to choose between buying a planer or a thicknesser – with the PT-300 you can have the best of both worlds in one. Hafco Woodmaster has designed a machine that's user friendly changeover between planing and thicknessing functions. This versatile machine features an extra heavy duty cast aluminium extruded fence with centred controls for quick adjustments, a built-in dust chute capable of handling both operations.

The surfacing tables are cast iron, 1510mm long and precision planed to ensure the most accurate results. The four HSS blade cutter block is powered by a powerful 2.25kW 240V motor that can handle the toughest timbers that results in a superior finish every time

## Features

- Heavy-duty 2.25kW / 3hp 240V motor
- 304mm wide x 220mm high thicknesser capacity
- Auto-feed thicknesser rollers 5m/min
- 5500rpm cutter head speed
- Four blades on Ø78mm cutter head
- 1510 x 400mm jointer table size
- Large aluminium fence tilts 45-90° with 4-way locking system and unique sliding design
- Heavy duty cast iron tables with a machined finish to ensure accuracy and flatness
- Large hand-wheel for quick and precise adjustments of thickness height
- 100mm dust chute

## Optional Accessories

- MA-300 - Mortise attachment (W615)
- Please Note:
- Requires left hand mortising & dowelling drill bits

Product Brochure For W613

Specific Features



Left View



Table Height Gauge




On Off Buttons



4 Blades Cutter Head



Adjustable Blade Guard



Blade Guard Tension



Aluminium Extrusion Fence



Adjustable Double Lock Fence



Adjustable Tilting Fence



Adjustable Tilting Fence at 45 degrees



Adjustable Tilting Fence Scale



Thickener Table and Controls



Thickness Height Scale



Table Height Adjustment Handle



Dust Chute



Table Height Adjustment

Product Brochure For W613



Safety Stop Switch



Shown with Optional Mortising Attachment (W615)

**Recommended Accessories**

W332  
Dust Collector



W394  
Dust Collector



W344  
Wood Dust Accessory Kit



W334  
Dust Hose Reducer



W333  
Dust Hose Reducer



W335  
Blast Gate



W336  
Dust Hose Elbow - 90 Degree



W337  
Dust Hose Y Adaptor



Product Brochure For W613

---

W338  
Dust Hose Universal Dust Hood



W339  
Dust Hose Floor Sweeper Attachment



W340  
Dust Hose Clamp



W343  
Roller Stand



W343A  
Roller Stand



W3434  
Roller Stand

